

Material Safety Data Sheet		U.S. Department of Labor	
May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.		Occupational Safety and Health Administration (Non-Mandatory Form) Form Approved OMB No. 1218-0072	
IDENTITY (as Used on Label and List) KLEEN TECH RESTORE TILE & GROUT		<i>Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.</i>	
Section I			
Manufacturer's name KLEENTECH SOLUTION LLC		Emergency Telephone Number 1-800-535-5053	
Address (Number, Street, City, State and ZIP Code) <i>PO Box 7023 Douglasville, Georgia 30154</i>		Telephone Number for Information 1-888-489-1112	
		Date Prepared April 14, 2009	
		Signature of Preparer (optional)	
Section II—Hazardous Ingredients/Identity Information			
Hazardous Components (Specific Chemical Identity, Common Name(s))	OSHA PEL	ACGIH TLV	Other Limits Recommended % (optional)
SODIUM HYDROXIDE CAS # 1310-73-2		N/E	
MONOETHANOLAMINE CAS # 141-43-5			
WATER CAS # 7732-18-2		N/A	
COCONUT DIETHANOLAMIDE CAS# 8051-30-7			
Section III—Physical/Chemical Characteristics			
Boiling Point	214F	Specific Gravity (H ₂ O = 1)	1.04
Vapor Pressure (mm Hg)	N/E	Melting Point	N/A
Vapor Density (AIR = 1)	N/E	Evaporation Rate (Butyl Acetate = 1)	N/E
Solubility in Water COMPLETE			
Appearance and Odor GREEN COLOR AND PLEASANT ODOR			
Section IV—Fire and Explosion Hazard Data			
Flash Point (Method Used) N/A	Flammable Limits	LEL N/A	UEL N/A
Extinguishing Media N/A			
Special Fire Fighting Procedures NON FLAMMABLE			
Unusual Fire and Explosion Hazards N/A			

(Reproduce locally)

OSHA 174 Sept. 1985

Section V—Reactivity Data			
Stability	Unstable		Conditions to Avoid NONE KNOWN
	Stable X		
Incompatibility (<i>Materials to Avoid</i>) ONLY ACIDIC PRODUCTS			
Hazardous Decomposition or Byproducts			
Hazardous Polymerization	May Occur		Conditions to Avoid NONE KNOWN
	Will Not Occur	x	
Section VI—Health Hazard Data			
Route(s) of Entry	Inhalation?	Skin? X	Ingestion?
Health Hazards (<i>Acute and Chronic</i>) STRONG ALKALI. IRRITANT TO SKIN			
Carcinogenicity	NTP?	IARC Monographs?	OSHA Regulated?
NON CARCINOGENIC		NO	
Signs and Symptoms of Exposure IRRITANT TO EYES AND SKIN. IF TAKEN INTERNALLY PRODUCT MAY CAUSE CORROSIVE DAMAGE TO MOUTH AND THROAT			
Medical Conditions Generally Aggravated by Exposure NOT KNOWN			
Emergency and First Aid Procedures			
IF IN EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. IF IRRITATION PERSISTS CALL A PHYSICIAN IF ON SKIN REMOVE WITH PLENTY OF WATER. IF SWALLOWED DRINK PLENTY OF MILK OR WATER SEE PHYSICIAN			
Section VII—Precautions for Safe Handling and Use			
Steps to Be Taken in Case Material Is Released or Spilled			
ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE. RINSE AFFECTED AREA WITH WATER			
Waste Disposal Method			
NO SPECIAL METHOD. OBSERVE ALL LOCAL, STATE AND FEDERAL REGULATIONS			
Precautions to Be Taken in Handling and Storing			
STORE AWAY FROM STRONG ACIDS			
Other Precautions			
KEEP OUT OF THE REACH OF CHILDREN			
Section VII—Control Measures			
Respiratory Protection (<i>Specify Type</i>)			
Ventilation	Local Exhaust NOT NECESSARY	Special NONE	
	Mechanical (<i>General</i>) NOT NECESSARY	Other NONE	
Protective Gloves	Eye Protection		
Rubber	Goggles		
Other Protective Clothing or Equipment	IMPERVIOUS CLOTHING		

Work/Hygienic Practices WASH HANDS AFTER USING PRODUCT